Journal of Applied Ecology
1998, **35**,
996–1000

Index

ESSAY REVIEWS

Buckley, R. *see* **Warnken, J.**
Warnken, J. & Buckley, R. Scientific quality of tourism Environmental Impact Assessment, 1

STANDARD PAPERS

Aebischer, N.J. *see* **Poulsen, J.G.**
Aebischer, N.J. *see* **Wakeham-Dawson, A.**
Akinola, M.O., Thompson, K. & Buckland, S.M. Soil seed bank of an upland calcareous grassland after 6 years of climate and management manipulations, 544
Aleixo, A. *see* **Galetti, M.**
Augustine, D.J. Modelling *Chlamydia*–koala interactions: coexistence, population dynamics and conservation implications, 261

Babbs, S. *see* **Norris, K.**
Baillie, G.J. *see* **Hester, A.J.**
Baillie, S.R. *see* **Gregory, R.D.**
Baillie, S.R. *see* **Siriwardena, G.M.**
Bakaloudis, D.E., Vlachos, C.G. & Holloway, G.J. Habitat use by short-toed eagles *Circaetus gallicus* and their reptilian prey during the breeding season in Dadia Forest (North-eastern Greece), 821
Bale, J.S. *see* **Bryant, S.R.**
Bannister, R.C.A. *see* **Norris, K.**
Bastin, G.N. *see* **Pickup, G.**
Bernal, R. Demography of the vegetable ivory palm *Phytelephas seemanii* in Colombia, and the impact of seed harvesting, 64
Bignal, E.M. *see* **McCracken, D.I.**
Blanco, G., Tella, J.L. & Torre, I. Traditional farming and key foraging habitats for chough *Pyrrhocoraz pyrrhocorax* conservation in a Spanish pseudosteppe landscape, 232
Brindley, E.A. *see* **Norris, K.**
Brook, B.W. & Kikkawa, J. Examining threats faced by island birds: a population viability analysis on the Capricorn silvereye using long-term data, 491
Buckland, S.M. *see* **Akinola, M.O.**
Buckland, S.T. *see* **Siriwardena, G.M.**
Buttler, A., Grosvernier, P. & Matthey, Y. Development of *Sphagnum fallax* diaspores on bare peat with implications for the restoration of cut-over bogs, 800

Carbonell, R. *see* **Díaz, M.**
Chapman, C. *see* **Naughton-Treves, L.**
Chardon, J.P. *see* **Vos, C.C.**
Chawner, H.A. *see* **Learner, M.A.**
Chewings, V.H. *see* **Pickup, G.**
Clarke, K.R. & Warwick, R.M. A taxonomic distinctness index and its statistical properties, 523
Clarke, K.R. *see* **Warwick, R.M.**
Compton, S.G. *see* **Griffiths, J.**
Cook, T. *see* **Norris, K.**

Davy, A.J. *see* **Dunsford, S.J.**
Davy, A.J., Dunsford, S.J. & Free, A.J. Acidifying peat as an aid to the reconstruction of lowland heath on arable soil: lysimeter experiments, 649
Dewar, A.M. *see* **Werker, A.R.**
Díaz, M., Carbonell, R., Santos, T. & Tellería, J.L. Breeding bird communities in pine plantations of the Spanish plateaux: biogeography, landscape and vegetation effects, 562
Dunsford, S.J. *see* **Davy, A.J.**
Dunsford, S.J., Free, A.J. & Davy, A.J. Acidifying peat as an aid to the reconstruction of lowland heath on arable soil: a field experiment, 660

Elphick, C.S. & Oring, L.W. Winter management of California rice fields for waterbirds, 95
Englund, G. *see* **Zhang, Y.**
Equihua, M. *see* **Medellín, R.A.**
Evans, P.R. *see* **Percival, S.M.**

Fernandez, J.C. *see* **Galetti, M.**
Fewster, R.M. *see* **Siriwardena, G.M.**
Fogelfors, H. *see* **Hansson, M.**
Forseth, T., Ugedal, O., Naesje, T.F. & Jonsson, B. Radiocaesium elimination in fishes: variation among and within species, 847
Forster Brown, C. *see* **Norris, K.**
Fowler, S.V. *see* **Paynter, Q.**
Frank, T. *see* **Friedli, J.**
Freckleton, R.P. & Watkinson, A.R. Predicting the determinants of weed abundance: a model for the population dynamics of *Chenopodium album* in sugar beet, 904
Free, A.J. *see* **Davy, A.J.**
Free, A.J. *see* **Dunsford, S.J.**
Freitas, B.M. & Paxton, R.J. A comparison of two pollinators: the introduced honey bee *Apis mellifera* and an indigenous bee *Centris tarsata* on cashew *Anacardium occidentale* in its native range of Brazil, 109
Friedli, J. & Frank, T. Reduced applications of metaldehyde pellets for reliable control of the slug pests *Arion lusitanicus* and *Deroceras reticulatum* in oilseed rape adjacent to sown wildflower strips, 504

Galetti, M. & Aleixo, A. Effects of palm heart harvesting on avian frugivores in the Atlantic rain forest of Brazil, 286
Galetti, M. & Fernandez, J.C. Palm heart harvesting in the Brazilian Atlantic forest: changes in industry structure and the illegal trade, 294
Gathmann, A. *see* **Tscharntke, T.**
Goldsmith, Ä.B. *see* **Kirby, K.J.**
Green, A.J. & Hilton, G.M. Management procedures required to increase chironomid availability to waders feeding on artificial lagoons remain unclear, 9

© 1998 British Ecological Society

Journal of Applied Ecology
1998, **35**,
996–1000

Index

ESSAY REVIEWS

Buckley, R. *see* **Warnken, J.**
Warnken, J. & Buckley, R. Scientific quality of tourism Environmental Impact Assessment, 1

STANDARD PAPERS

Aebischer, N.J. *see* **Poulsen, J.G.**
Aebischer, N.J. *see* **Wakeham-Dawson, A.**
Akinola, M.O., Thompson, K. & Buckland, S.M. Soil seed bank of an upland calcareous grassland after 6 years of climate and management manipulations, 544
Aleixo, A. *see* **Galetti, M.**
Augustine, D.J. Modelling *Chlamydia*–koala interactions: coexistence, population dynamics and conservation implications, 261

Babbs, S. *see* **Norris, K.**
Baillie, G.J. *see* **Hester, A.J.**
Baillie, S.R. *see* **Gregory, R.D.**
Baillie, S.R. *see* **Siriwardena, G.M.**
Bakaloudis, D.E., Vlachos, C.G. & Holloway, G.J. Habitat use by short-toed eagles *Circaetus gallicus* and their reptilian prey during the breeding season in Dadia Forest (North-eastern Greece), 821
Bale, J.S. *see* **Bryant, S.R.**
Bannister, R.C.A. *see* **Norris, K.**
Bastin, G.N. *see* **Pickup, G.**
Bernal, R. Demography of the vegetable ivory palm *Phytelephas seemanii* in Colombia, and the impact of seed harvesting, 64
Bignal, E.M. *see* **McCracken, D.I.**
Blanco, G., Tella, J.L. & Torre, I. Traditional farming and key foraging habitats for chough *Pyrrhocoraz pyrrhocorax* conservation in a Spanish pseudosteppe landscape, 232
Brindley, E.A. *see* **Norris, K.**
Brook, B.W. & Kikkawa, J. Examining threats faced by island birds: a population viability analysis on the Capricorn silvereye using long-term data, 491
Buckland, S.M. *see* **Akinola, M.O.**
Buckland, S.T. *see* **Siriwardena, G.M.**
Buttler, A., Grosvernier, P. & Matthey, Y. Development of *Sphagnum fallax* diaspores on bare peat with implications for the restoration of cut-over bogs, 800

Carbonell, R. *see* **Díaz, M.**
Chapman, C. *see* **Naughton-Treves, L.**
Chardon, J.P. *see* **Vos, C.C.**
Chawner, H.A. *see* **Learner, M.A.**
Chewings, V.H. *see* **Pickup, G.**
Clarke, K.R. & Warwick, R.M. A taxonomic distinctness index and its statistical properties, 523
Clarke, K.R. *see* **Warwick, R.M.**
Compton, S.G. *see* **Griffiths, J.**
Cook, T. *see* **Norris, K.**

Davy, A.J. *see* **Dunsford, S.J.**
Davy, A.J., Dunsford, S.J. & Free, A.J. Acidifying peat as an aid to the reconstruction of lowland heath on arable soil: lysimeter experiments, 649
Dewar, A.M. *see* **Werker, A.R.**
Díaz, M., Carbonell, R., Santos, T. & Tellería, J.L. Breeding bird communities in pine plantations of the Spanish plateaux: biogeography, landscape and vegetation effects, 562
Dunsford, S.J. *see* **Davy, A.J.**
Dunsford, S.J., Free, A.J. & Davy, A.J. Acidifying peat as an aid to the reconstruction of lowland heath on arable soil: a field experiment, 660

Elphick, C.S. & Oring, L.W. Winter management of California rice fields for waterbirds, 95
Englund, G. *see* **Zhang, Y.**
Equihua, M. *see* **Medellín, R.A.**
Evans, P.R. *see* **Percival, S.M.**

Fernandez, J.C. *see* **Galetti, M.**
Fewster, R.M. *see* **Siriwardena, G.M.**
Fogelfors, H. *see* **Hansson, M.**
Forseth, T., Ugedal, O., Naesje, T.F. & Jonsson, B. Radiocaesium elimination in fishes: variation among and within species, 847
Forster Brown, C. *see* **Norris, K.**
Fowler, S.V. *see* **Paynter, Q.**
Frank, T. *see* **Friedli, J.**
Freckleton, R.P. & Watkinson, A.R. Predicting the determinants of weed abundance: a model for the population dynamics of *Chenopodium album* in sugar beet, 904
Free, A.J. *see* **Davy, A.J.**
Free, A.J. *see* **Dunsford, S.J.**
Freitas, B.M. & Paxton, R.J. A comparison of two pollinators: the introduced honey bee *Apis mellifera* and an indigenous bee *Centris tarsata* on cashew *Anacardium occidentale* in its native range of Brazil, 109
Friedli, J. & Frank, T. Reduced applications of metaldehyde pellets for reliable control of the slug pests *Arion lusitanicus* and *Deroceras reticulatum* in oilseed rape adjacent to sown wildflower strips, 504

Galetti, M. & Aleixo, A. Effects of palm heart harvesting on avian frugivores in the Atlantic rain forest of Brazil, 286
Galetti, M. & Fernandez, J.C. Palm heart harvesting in the Brazilian Atlantic forest: changes in industry structure and the illegal trade, 294
Gathmann, A. *see* **Tscharntke, T.**
Goldsmith, Ä.B. *see* **Kirby, K.J.**
Green, A.J. & Hilton, G.M. Management procedures required to increase chironomid availability to waders feeding on artificial lagoons remain unclear, 9

© 1998 British Ecological Society

Gregory, R.D. & Baillie, S.R. Large-scale habitat use of some declining British birds, 785

Griffiths, J., Phillips, D.S., Compton, S.G., Wright, C. & Incoll, L.D. Responses of slug numbers and slug damage to crops in a silvoarable agroforestry landscape, 252

Grosvernier, P. *see* **Buttler, A.**

Guillaume, H.P. *see* **Reynolds, J.D.**

Hansson, M. & Fogelfors, H. Management of permanent set-aside on arable land in Sweden, 758

Harmsen, R. *see* **Lester, P.J.**

Harrington, R. *see* **Werker, A.R.**

Harwood, R. *see* **Russell-Smith, J.**

Hester, A.J. & Baillie, G.J. Spatial and temporal patterns of heather use by sheep and red deer within natural heather/grass mosaics, 772

Hiby, L.R. *see* **Ries, E.H.**

Hilton, G.M. *see* **Green, A.J.**

Hoffmann, J.H., Moran, V.C. & Zeller, D.A. Long-term population studies and the development of an integrated management programme for control of *Opuntia stricta* in Kruger National Park, South Africa, 156

Hoffmann, W.A. Post-burn reproduction of woody plants in a neotropical savanna: the relative importance of sexual and vegetative reproduction, 422

Holloway, G.J. *see* **Bakaloudis, D.E.**

Holmes, S.B. Reproduction and nest behaviour of Tennessee warblers *Vermivora peregrina* in forests treated with Lepidoptera-specific insecticides, 185

Holt, J. *see* Trumper, E.V.

Hood, G.M. *see* **Pech, R.P.**

Horwood, J.W., Nichols, J.H. & Milligan, S. Evaluation of closed areas for fish stock conservation, 893

Incoll, L.D. *see* **Griffiths, J.**

Jeltsch, F. *see* **Weber, G.E.**

Johnsingh, A.J.T. *see* **Shankar Raman, T.R.**

Johnson, N.C. Responses of *Salsola kali* and *Panicum virgatum* to mycorrhizal fungi, phosphorus and soil organic matter: implications for reclamation, 86

Johnson, S.W. *see* **Marrs, R.H.**

Jonsson, B. *see* **Forseth, T.**

Kellman, M., Tackaberry, R. & Rigg, L. Structure and function in two tropical gallery forest communities: implications for forest conservation in fragmented systems, 195

Kikkawa, J. *see* **Brook, B.W.**

Kirby, K.J., Reid, C.M., Thomas, R.C. & Goldsmith, Ä.B. Preliminary estimates of fallen dead wood and standing deads trees in managed and unmanaged forests in Britain, 148

Klessa, D. *see* **Russell-Smith, J.**

Krebs, C.J. *see* **Pelletier, L.**

Kremer, E. & Lotz, L.A.P. Germination and emergence characteristics of triazine-susceptible and triazine-resistant biotypes of *Solanum nigrum*, 302

Kuitunen, M. *see* **Virolainen, K.M.**

Larivière, S. & Messier, F. Denning ecology of the striped skunk in the Canadian prairies: implications for waterfowl nest predation, 207

Le Duc, M.G. *see* **Marrs, R.H.**

Learner, M A & Chawner, H A. Macro-invertebrate associations in sewage filter-beds and their relationship to operational practice, 720

Lester, P.J., Thistlewood, H.M.A. & Harmsen, R. The effects of refuge size and number on acarine predator–prey dynamics in a pesticide-disturbed apple orchard, 323

Lhagvasuren, B. *see* **Milner-Gulland, E.J.**

Lindblad, M. & Solbreck, C. Predicting *Oscinella frit* population densities from suction trap catches and weather data, 871

Lotz, L.A.P. *see* **Kremer, E.**

Madsen, J. Experimental refuges for migratory waterfowl in Danish wetlands. I. Baseline assessment of the disturbance effects of recreational activities, 386

Madsen, J. Experimental refuges for migratory waterfowl in Danish wetlands. II. Tests of hunting disturbance effects, 398

Majer, J.D. & Nichols, O.G. Long-term recolonization patterns of ants in Western Australian rehabilitated bauxite mines with reference to their use as indicators of restoration success, 161

Malmqvist, B. *see* **Zhang, Y.**

Marchant, J.H. *see* **Siriwardena, G.M.**

Marrs, R.H., Johnson, S.W. & Le Duc, M.G. Control of bracken and restoration of heathland. VI. The response of bracken fronds to 18 years of continued bracken control or 6 years of control followed by recovery, 479

Marrs, R.H., Johnson, S.W. & Le Duc, M.G. Control of bracken and restoration of heathland. VII. The response of bracken rhizomes to 18 years of continued bracken, 748

Marrs, R.H., Johnson, S.W. & Le Duc, M.G. Control of bracken and restoration of heathland VIII. The regeneration of the heathland community after 18 years of continued bracken control or 6 years of control followed by recovery, 857

Matthey, Y. *see* **Buttler, A.**

Medellín, R.A. & Equihua, M. Mammal species richness and habitat use in rainforest and abandoned agricultural fields in Chiapas, Mexico, 13

Memmott, J. *see* **Paynter, Q.**

Messier, F. *see* **Larivière, S.**

Milligan, S. *see* **Horwood, J.W.**

Milner-Gulland, E.J. & Lhagvasuren, B. Population dynamics of the Mongolian gazelle *Procapra gutturosa*: an historical analysis, 240

Milton, S.J. *see* **Weber, G.E.**

Moran, V.C. *see* **Hoffmann, J.H.**

Moss, J.S. *see* **Smith, M.**

Naesje, T.F. *see* **Forseth, T.**

© 1998 British Ecological Society,

Nasikin *see* **Van Den Berg, H.**

Naughton-Treves, L., Treves, A., Chapman, C. & Wrangham, R. Temporal patterns of crop raiding by primates: linking food availability in croplands and adjacent forest, 596

Neuvonen, S. *see* **Virtanen, T.**

Nichols, J.H. *see* **Horwood, J.W.**

Nichols, O.G. *see* **Majer, J.D.**

Nikula, A. *see* **Virtanen, T.**

Norris, K., Bannister, R.C.A. & Walker, P.W. Changes in the number of oystercatchers *Haematopus ostralegus* wintering in the Burry Inlet in relation to the biomass of cockles *Cerastoderma edule* and its commercial exploitation, 75

Norris, K., Brindley, E.A, Cook, T., Babbs, S., Forster Brown, C. & Yaxley, R. Is the density of redshank *Tringa totanus* nesting on saltmarshes in Great Britain declining due to changes in grazing, 621

Oring, L.W. *see* **Elphick, C.S.**

Paxton, R.J. *see* **Freitas, B.M.**

Paynter, Q., Fowler, S.V., Memmott, J. & Sheppard, A.W. Factors affecting the establishment of *Cytisus scoparius* in southern France: implications for managing both native and exotic populations., 582

Pech, R.P. & Hood, G.M. Foxes, rabbits, alternative prey and rabbit calcivirus disease: consequences of a new biological control agent for an outbreaking species in Australia, 434

Percival, S.M., Sutherland, W.J. & Evans, P.R. Intertidal habitat loss and wildfowl numbers: applications of a spatial depletion model, 57

Peter, A. *see* **Utzinger, J.**

Phillips, D.S. *see* **Griffiths, J.**

Pickup, G., Bastin, G.N. & Chewings, V.H. Identifying trends in land degradation in non-equilibrium rangelands, 365

Poulsen, J.G., Sotherton, N.W. & Aebischer, N.J. Comparative nesting and feeding ecology of skylarks *Alauda arvensis* on arable farland in southern England with special reference to set-aside, 131

Rawat, G.S. *see* **Shankar Raman, T.R.**

Reid, C.M. *see* **Kirby, K.J.**

Reijnders, P.J.H. *see* **Ries, E.H.**

Reynolds, J.D. & Guillaume, H.P. Effects of phosphate on the reproductive symbiosis between bitterling and freshwater mussels: implications for conservation, 575

Ries, E.H., Hiby, L.R. & Reijnders, P.J.H. Maximum likelihood population size estimation of harbour seals in the Dutch Wadden Sea based on a mark–recapture experiment, 332

Rigg, L. *see* **Kellman, M.**

Roth, C. *see* **Utzinger, J.**

Russell-Smith, J., Ryan, P.G., Klessa, D., Waight, G. & Harwood, R. Fire regimes, fire-sensitive vegetation, and fire management of the sandstone Arnhem Plateau, monsoonal northern Australia, 829

Ryan, P. *see* **Russell-Smith, J.**

Santos, T. *see* **Díaz, M.**

Schaffers, A.P., Vesseur, M.C. & Sýkora, K.V. Effects of delayed hay removal on the nutrient balance of roadside plant communities, 349

Shankar Raman, T.R., Rawat, G.S. & Johnsingh, A.J.T. Recovery of tropical rainforest avifauna in relation to vegetation succession following shifting cultivation in Mizoram, north-east India, 214

Shepard, B.M. *see* **Van Den Berg, H.**

Sheppard, A.W. *see* **Paynter, Q.**

Siriwardena, G.M., Baillie, S.R., Buckland, S.T., Fewster, R.M., Marchant, J.H. & Wilson, J.D. Trends in the abundance of farmland birds: a quantitative comparison of smoothed Common Birds Census indices, 24

Smith, M. & Moss, J.S. An experimental investigation, using stomatal conductance and fluorescence, of the flood sensitivity of *Boltonia decurrens* and its competitors, 553

Solbreck, C. *see* **Lindblad, M.**

Sotherton, N.W. *see* **Poulsen, J.G.**

Stander, P.E. Spoor counts as indices of large carnivore populations: the relationship between spoor frequency, sampling effort and true density, 378

Steffan-Dewenter, I. *see* **Tscharntke, T.**

Stern, K. *see* **Wakeham-Dawson, A.**

Suhonen, J. *see* **Virolainen, K.M.**

Suomi, T. *see* **Virolainen, K.M.**

Sutherland, W.J. *see* **Percival, S.M.**

Sutherland, W.J. The effect of local change in habitat quality on populations of migratory species, 418

Sýkora, K.V. *see* **Schaffers, A.P.**

Szoszkiewicz, K. *see* **Wakeham-Dawson, A.**

Tackaberry, R. *see* **Kellman, M.**

Tella, J.L. *see* **Blanco, G.**

Tellería, J.L. *see* **Díaz, M.**

Thistlewood, H.M.A. *see* **Lester, P.J.**

Thomas, C.D. *see* **Bryant, S.R.**

Thomas, R.C. *see* **Kirby, K.J.**

Thompson, K. *see* **Akinola, M.O.**

Torre, I. *see* **Blanco, G.**

Treves, A. *see* **Naughton-Treves, L.**

Trimper, P.G. Effects of low-level jet aircraft noise on the behaviour of nesting osprey, 122

Trumper, E.V. & Holt, J. Modelling pest population resurgence due to recolonization of fields following an insecticide application, 273

Tscharntke, T., Gathmann, A. & Steffan-Dewenter, I. Bioindication using trap-nesting bees and wasps and their natural enemies: community structure and interactions, 708

Ugedal, O. *see* **Forseth, T.**

Utzinger, J., Roth, C. & Peter, A. Effects of environmental parameters on the distrbution of bullhead *Cottus gobio* with particular consideration of the effects of obstructions, 882

© 1998 British Ecological Society,

Van Den Berg, H., Shepard, B.M. & Nasikin Response of soybean to attack by stemfly *Melanogromyza sojae* in farmers' fields in Indonesia, 514
Van Rooyen, N. *see* **Weber, G.E.**
Vesseur, M.C. *see* **Schaffers, A.P.**
Virolainen, K.M., Suomi, T., Suhonen, J. & Kuitunen, M. Conservation of vascular plants in single large and several small mires: species richness, rarity and taxonomic diversity, 700
Virtanen, T., Neuvonen, S. & Nikula, A. Modelling topoclimatic patterns of egg mortality of *Epirrita autumnata* (Lepidoptera: Geometridae) with Geographical Information System: predictions for current climate and warmer climate scenarios, 311
Vlachos, C.G. *see* **Bakaloudis, D.E.**
Vos, C.C. & Chardon, J.P. Effects of habitat fragmentation and road density on the distribution pattern of the moor frog *Rana arvalis*, 44

Waight, G. *see* **Russell-Smith, J.**
Wakeham-Dawson, A., Szoszkiewicz, K., Stern, K. & Aebischer, N.J. Breeding skylarks *Alauda arvensis* on Environmentally Sensitive Area arable reversion grass in southern England: survey-, 635
Walker, P.W. *see* **Norris, K.**
Warwick, R.M. & Clarke, K.R. Taxonomic distinctness and environmental assessment., 532
Warwick, R.M. *see* **Clarke, K.R.**
Watkinson, A.R. *see* **Freckleton, R.P.**
Weber, G.E., Jeltsch, F., Van Rooyen, N. & Milton, S.J. Simulated long-term vegetation response to grazing heterogeneity in semiarid rangelands, 687
Werker, A.R., Dewar, A.M. & Harrington, R. Modelling the incidence of virus yellows in sugar beet in the UK in relation to numbers of migrating *Myzus persicae*, 811
Wilson, J.D. *see* **Siriwardena, G.M.**
Wrangham, R. *see* **Naughton-Treves, L.**
Wright, C. *see* **Griffiths, J.**

Yaxley, R. *see* **Norris, K.**

Zeller, D.A. *see* **Hoffmann, J.H.**
Zhang, Y., Malmqvist, B. & Englund, G. Ecological processes affecting community structure of blackfly larvae in regulated and unregulated rivers: a regional study, 673

TECHNICAL REPORTS

Aebischer, N.J. *see* **Robertson, P.A.**
Bale, J.S. *see* **Bryant, S.R.**
Bryant, S.R., Bale, J.S. & Thomas, C.D. Modification of the triangle method of degree-day accumulation to allow for behavioural thermoregulation in insects, 921
Hanski, I.K. *see* **Robertson, P.A.**
Kenward, R.E. *see* **Robertson, P.A.**
Krebs, C.J. *see* **Pelletier, L.**
Pelletier, L. & Krebs, C.J. Evaluation of aerial surveys of ptarmigan *Lagopus* spp., 941
Robertson, P.A., Aebischer, N.J., Kenward, R.E., Hanski, I.K. & Williams, N.P. Simulation and jackknifing assessment of home-range indices based on underlying trajectories, 928
Thomas, C.D. *see* **Bryant, S.R.**
Williams, N.P. *see* **Robertson, P.A.**

FORUM PAPERS

Basset, Y., Novotny, V., Miller, S.E. & Springate, N.D. Assessing the impact of forest disturbance on tropical invertebrates: some comments, 461
Beaufoy, G. The EU habitats directive in Spain: can it contribute effectively to the conservation of extensive agro-ecosystems?, 974
Bignal, E.M. Using an ecological understanding of farmland to reconcile nature conservation requirements, EU agriculture policy and world trade agreements, 949
Bignal, E.M. *see* **McCracken, D.I.**
Egloff, K. *see* **Staub, E.**
Freckleton, R.P. & Watkinson, A.R. How does temporal viability affect predictions of weed population numbers?, 340
Hamer, K.C. *see* **Hill, J.K.**
Hill, J.K. & Hamer, K.C. Using species abundance models as indicators of habitat disturbance in tropical forests, 458
Kramer, A. *see* **Staub, E.**
Luick, R. Ecological and socio-economic implications of livestock keeping systems on extensive grasslands in south-western Germany, 979
McCracken, D.I. & Bignal, E.M. Applying the results of ecological studies to land-use policies and practices, 961
Miller, S.E. *see* **Basset, Y.**
Novotny, V. *see* **Basset, Y.**
Nummelin, M. Log-normal distribution of species abundance is not a universal indicator of rain forest disturbance, 454
Ostermann, O.P. The need for management of nature conservation sites designated under Natura 2000, 968
Ovenden, G.N., Swash, A.R.H. & Smallshire, D. Agri-environment schemes and their contribution to the conservation of biodiversity in Engand, 955
Springate, N.D. *see* **Basset, Y.**
Staub, E., Egloff, K., Kramer, A. & Walter, J. The effect of predation by wintering cormorants *Phalacrocorax carbo* on grayling *Thymallus thymallus* and trout (Salmonidae) populations: two case studies from Swiss rivers. Comment, 607
Smallshire, D. *see* **Ovenden, G.N.**
Swash, A.R.H. *see* **Ovenden, G.N.**
Suter, W. The effect of predation by wintering cormorants *Phalacrocorax carbo* on grayling *Thymallus thymallus* and trout (Salmonidae) populations: two case studies from Swiss rivers. Reply, 611
Walter, J. *see* **Staub, E.**
Watkinson, A.R. *see* **Freckleton, R.P.**

© 1998 British Ecological Society,

Watt, A.D. Measuring disturbance in tropical forests: a critique of the use of species abundance models and indicator measures in general, 467

Webb, N.R. The traditional management of European heathlands, 987

Zervas, G. Quantifying and optimizing grazing regimes in Greek mountain systems, 983

BOOK REVIEWS

Church, J.M., Coppins, B.J., Gilbert, O.L., James, P.W. & Stewart, N.F. *Red Data Books of Britain and Ireland: Lichens. Vol. 1: Britain*, 345

Dent, D.R. & Walton, M.P. *Methods in Ecological and Agricultural Entomology*, 470

Fowler, A.C. *Mathematical Models in the Applied Sciences*, 819

Gillman, M. & Hails, R. *An Introduction to Ecological Modelling: Putting Practice into Theory*, 470

Grieser Johns, A. *Timber Production and Biodiversity Conservation in Tropical Rain Forests*, 471

Grover, J.P. *Resource Competition*, 472

Hoffmann, A.A. & Parson, P.A. *Extreme Environmental Change and Evolution*, 183

Intergovernmental Panel on Climate Change. *The Regional Impacts of Climate Change: An Assessment of Vulnerability*, 991

Johnston, C.A. *Geographic Information Systems in Ecology*, 617

Laurance, W.F. & Bierregaard Jr, R.O. *Tropical Forest Remnants: Ecology, Management and Conservation of Fragmented Communities*, 346

Lein, J.K. *Environmental Decision Making*, 472

Packham, J.R. & Willis, A.J. *Ecology of Dunes, Salt Marsh and Shingle*, 475

Perlman, D.L. & Adelson,G. *Biodiversity. Exploring Values and Priorities in Conservation*, 618

Philippi, N.S. *Floodplain Management: Ecologic and Economic Perspectives*, 476

Raffaelli, D. & Hawkins, S. *Intertidal Ecology*, 183

Roth, H.H. & Merz, G. (eds) *Wildlife Resource: A Global Account of Economic Use*, 476

Smith, T.M., Shugart, H.H. & Woodward, F.I. *Plant Functional Types: Their Relevance to Ecosystem Properties and Global Change*, 473

Sutcliffe, D.W. (ed.) *The Microbiological Quality of Water*, 618

Tew, T.E., Crawford, T.J., Spencer, J.W., Stevens, D.P., Usher, M.B. & Warren, J. (eds) *The Role of Genetics in Conserving Small Populations*, 820

Watt, T.A. *Introductory Statistics for Biology Students*, 991

© 1998 British Ecological Society,